




Specifications:

JT NO.	D(H8)	d(H9)	B(-0/+0.2)	r	n	O-ring
JT 010-005.1	10	5.1	2.2	0.4	3	4.76x1.78
JT 012-007.1	12	7.1	2.2	0.4	3	6.75x1.78
JT 015-007.5	15	7.5	3.2	0.6	4.5	7.59x2.62
JT 016-008.5	16	8.5	3.2	0.6	4.5	7.59x2.62
JT 020-012.5	20	12.5	3.2	0.6	4.5	12.37x2.62
JT 025-014	25	14	4.2	1	6	13.87x3.53
JT 025-017.5	25	17.5	3.2	0.6	4.5	17.12x2.62
JT 032-021	32	21	4.2	1	6	20.22x3.53
JT 032-024.5	32	24.5	3.2	0.6	4.5	23.47x2.62
JT 035-030.1	35	30.1	2.2	0.4	3	29.87x1.78
JT 035-027.5	35	27.5	3.2	0.6	4.5	26.64x2.62
JT 040-032.5	40	32.5	3.2	0.6	6	31.42x2.62
JT 040-029	40	29	4.2	1	6	28.17x5.33
JT 040-024.5	40	24.5	6.3	1.3	8	23.17x5.33
JT 045-034	45	34	4.2	1	6	32.92 x 3.53
JT 048-037	48	37	4.2	1	6	36.10x3.53
JT 050-039	50	39	4.2	1	6	37.69x3.53
JT 055-044	55	44	4.2	1	6	44.04x3.53
JT 60-044.5	60	44.5	6.3	1.3	8	43.82x5.33
JT 060-049	60	49	4.2	1	6	47.22x3.53
JT 063-052	63	52	4.2	1	6	50.39x3.53
JT 063-047.5	63	47.5	6.3	1.3	8	47x5.33
JT 063-055.5	63	55.5	3.2	0.6	4.5	55.25x2.62
JT 065-049.5	65	49.5	6.3	1.3	8	48.50x5.33
JT 065-054	65	54	4.2	1	6	53.57x3.53
JT 068-057	68	57	4.2	1	6	56.74x3.53
JT 070-054.5	70	54.5	6.3	1.3	8	53.34x5.33
JT 070-059	70	59	4.2	1	6	56.74x3.53
JT 075-064	75	64	4.1	1	6	63.09x3.53
JT 075-059.5	75	59.5	6.3	1.3	8	56.52x5.33
JT 080-059	80	59	8.1	1.8	10.5	58x6.99
JT 080-064.5	80	64.5	6.3	1.3	8	62.87x5.33
JT 080-069	80	69	4.2	1	6	66.27x5.33
JT 085-064	85	64	8.1	1.8	10.5	63x7
JT 085-074	85	74	4.2	1	6	73.03x3.53
JT 085-069.5	85	69.5	6.3	1.3	8	69.22x5.33
JT 090-074.5	90	74.5	6.3	1.3	8	72.40x5.33

JT 090-069	90	69	8.1	1.8	10.5	68.20x6.99
JT 095-079.5	95	79.5	6.3	1.3	8	78.74x5.33
JT 100-079	100	79	8.1	1.8	10.5	77x7
JT 100-089	100	89	4.2	1	6	88.50x3.53
JT 100-084.5	100	84.5	6.3	1.3	8	81.92x5.33
JT 105-089.5	105	89.5	6.3	1.3	8	88.27x5.33
JT 110-089	110	89	8.1	1.8	10.5	88x6.99
JT 110-099	110	99	4.2	1	6	98.02x3.53
JT 110-094.5	110	94.5	6.3	1.3	8	91.44x5.33
JT 115-094	115	94	8.1	1.8	10.5	92x7
JT 115 099.5	115	99.5	6.3	1.3	8	97.79x5.33
JT 120-104.5	120	104.5	6.3	1.3	8	100.97x5.33
JT 120-099	120	99	8.1	1.8	10.5	97x7
JT 125-104	125	104	8.1	1.8	10.5	102x7
JT 125-114	125	114	4.2	1	6	113.90x3.53
JT 125-109.5	125	109.5	6.3	1.3	8	107.32x5.33
JT 130-109	130	109	8.1	1.8	10.5	107x7
JT 130-114.5	130	114.5	6.3	1.3	8	113.67x5.33
JT 140-119	140	119	8.1	1.8	10.5	116.84x6.99
JT 140-124.5	140	124.5	6.3	1.3	8	123.19x5.33
JT 140-129	140	129	4.2	1	6	126.60x3.53
JT 145-124	145	124	8.1	1.8	10.5	123.19x6.99
JT 150-129	150	129	8.1	1.8	10.5	126.37x6.99
JT 155-134	155	134	8.1	1.8	10.5	132.72x6.99
JT 160-139	160	139	8.1	1.8	10.5	135.89x6.99
JT 165-144	165	144	8.1	1.8	10.5	142.24x6.99
JT 170-149	170	149	8.1	1.8	10.5	149.59x6.99
JT 180-159	180	159	8.1	1.8	10.5	158.12x6.99
JT 185-164	185	164	8.1	1.8	10.5	161.90x6.99
JT 185-169.5	185	169.5	6.3	1.3	8	164.47x5.33
JT 190-169	190	169	8.1	1.8	10.5	164.47x6.99
JT 195-174	195	174	8.1	1.8	10.5	170.82x6.99
JT 200-179	200	179	8.1	1.8	10.5	177.17x6.99
JT 200-184.5	200	184.5	6.3	1.3	8	183.52x5.33
JT 205-184	205	184	8.1	1.8	10.5	183.52 x6.99
JT 210-189	210	189	8.1	1.8	10.5	183.52x6.99
JT 215-194	215	194	8.1	1.8	10.5	189.87x6.99
JT 220-199	220	199	8.1	1.8	10.5	196.22x6.99
JT 225-204	225	204	8.1	1.8	10.5	202.57x6.99
JT 230-209	230	209	8.1	1.8	10.5	202.57x6.99
JT 240-219	240	219	8.1	1.8	10.5	215.27x6.99
JT 245-224	245	224	8.1	1.8	10.5	221.62x6.99
JT 250-229	250	229	8.1	1.8	10.5	227.97x6.99
JT 260-239	260	239	8.1	1.8	10.5	234.32x6.99
JT 265-244	265	244	8.1	1.8	10.5	240.67x6.99
JT 270-249	270	249	8.1	1.8	10.5	240.67x6.99
JT 275-254	275	254	8.1	1.8	10.5	247x6.99
JT 280-259	280	259	8.1	1.8	10.5	253.57x6.99
JT 300-279	300	279	8.1	1.8	10.5	278.77x6.99
JT 305-284	305	284	8.1	1.8	10.5	278.77x6.99

JT 310-289	310	289	8.1	1.8	10.5	278.77x6.99
JT 315-294	315	294	8.1	1.8	10.5	291.47x6.99
JT 320-295.5	320	295.5	8.1	1.8	12	291.47x6.99
JT 320-299	320	299	8.1	1.8	10.5	291.47x6.99
JT 325-304	325	304	8.1	1.8	10.5	297.88x6.99
JT 330-305.5	330	305.5	8.1	1.8	12	304.17x6.99
JT 340-315.5	340	315.5	8.1	1.8	12	316.87x6.99
JT 350-325.5	350	325.5	8.1	1.8	12	316.87x6.99
JT 360-335.5	360	335.5	8.1	1.8	12	329.57x6.99
JT 370-345.5	370	345.5	8.1	1.8	12	342.27x6.99
JT 380-355.5	380	355.5	8.1	1.8	12	354.90x6.99
JT 390-365.5	390	365.5	8.1	1.8	12	354.90x6.99
JT 400-375.5	400	375.5	8.1	1.8	12	367.67x6.99
JT 420-395.5	420	395.5	8.1	1.8	12	393.07x6.99
JT 430-405.5	430	405.5	8.1	1.8	12	405.26x6.99
JT 440-415.5	440	415.5	8.1	1.8	12	405.26x6.99
JT 450-425.5	450	425.5	8.1	1.8	12	417.96x6.99
JT 460-435.5	460	435.5	8.1	1.8	12	430.66x6.99
JT 470-445.5	470	445.5	8.1	1.8	12	443.36x6.99
JT 480-455.5	480	455.5	8.1	1.8	12	456.06x6.99
JT 500-475.5	500	475.5	8.1	1.8	12	468.76x6.99
JT 520-495.5	520	495.5	8.1	1.8	12	494.16x6.99
JT 530-505.5	530	505.5	8.1	1.8	12	494.16x6.99
JT 540-515.5	540	515.5	8.1	1.8	12	506.86x6.99
JT 550-525.5	550	525.5	8.1	1.8	12	506.86x6.99
JT 560-535.5	560	535.5	8.1	1.8	12	532.26x6.99
JT 580-555.5	580	555.5	8.1	1.8	12	532.26x6.99
JT 600-575.5	600	575.5	8.1	1.8	12	557.66x6.99